

Round roof air intake unit

WD-C2



Description

WD-C2 roof exhaust vents are designed to minimize the ingress of rain into the ventilation ductwork. The available installation methods do not differ from those used for WD-C1 units, and the sloped design allows a larger cap for better protection against rain.

Connection method — Product code examples


- WD-C2-...- - with FLS steel flange (standard version)
- WD-C2-...-NSL - male connector with gasket
- WD-C2-...-NYPLOWE - male connector w/o gasket
- WD-C2-...-MF - female connection for fittings
- WD-C2-...-NA RUREĀ - double-sided male connector, slid over the duct

Available materials — Product code examples


- WD-C2-...-... - galvanized steel sheet
- WD-C2-K-...-... - 1.4301/304 stainless steel sheet
- WD-C2-A-...-... - aluminium sheet
- WD-C2-CU-...-... - copper sheet
- WD-C2-ZM-... - ZM310 coating (only for male or female design and only up to a diameter of $\varnothing d1 = 500\text{mm}$)

Product code example

Product code: **WD-C2 - aaa - bbb**



Wymiary



$\varnothing d_{nom}$ [mm]	$\varnothing D_{nom}$ [mm]	H [mm]	h [mm]	Weight [kg]
100	200	170	40	0.7
125	250	210	40	1.0
140	280	235	50	1.2
150	320	250	50	1.4
160	320	260	50	1.5
200	400	340	60	2.0
250	500	400	75	3.2
315	630	520	95	5.0
355	700	575	100	5.8
400	800	640	105	8.3
450	900	740	110	10.8
500	1000	810	110	15.8
630	1260	1010	120	25.7
710	1400	1050	140	29.0
800	1600	1260	160	41.4
900	1800	1430	200	49.5